# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name : ANIOS RN

Product code : 193000

Use of the : Rinse Additive

Substance/Mixture

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Medical devices . Semi-automatic process

Recommended restrictions

on use

: Reserved for industrial and professional use.

## 1.3 Details of the supplier of the safety data sheet

Company : Laboratoires ANIOS

1 rue de l'Espoir

59260 Lezennes, France Tel. + 33 (0)3 20 67 67 67

Fax. + 33 (0)3 20 67 67 68

fds@anios.com

Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

## 1.4 Emergency telephone number

Emergency telephone

number

+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 15.03.2021 Version : 1.1

## **Section: 2. HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1A H314 Serious eye damage, Category 1 H318

117603E 1 / 12

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water

or shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

P310

Phosphoric acid

#### 2.3 Other hazards

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

## **Hazardous components**

Chemical Name	CAS-No. EC-No.	Classification REGULATION (EC) No 1272/2008	Concentration : [%]
	REACH No.		
Phosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Skin corrosion Category 1B; H314 Corrosive to metals Category 1; H290  Skin corrosion Category 1B H314 25 - 100 % Skin irritation Category 2 H315 10 - < 25 % Eye irritation Category 2 H319 10 - < 25 %	>= 30 - < 50

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section: 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

117603E 2 / 12

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

> at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.

Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention

immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical

attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### **Section: 5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

Oxides of phosphorus

## 5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations. In the event of

fire and/or explosion do not breathe fumes.

## **Section: 6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind Advice for non-emergency

117603E 3/12

personnel of spill/leak. Avoid inhalation, ingestion and contact with skin and

eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to

protective measures listed in sections 7 and 8.

Advice for emergency

responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material

to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Use only

with adequate ventilation. Wash hands thoroughly after handling. Do not breathe spray, vapour. Do not mix with bleach or other chlorinated products – will cause chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of

product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep away from strong bases. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 25 °C

## 7.3 Specific end uses

Specific use(s) : Medical devices . Semi-automatic process

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

117603E 4 / 12

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m3	UKCOSSTD
		STEL	2 mg/m3	UKCOSSTD

#### DNEL

DINCE		
Phosphoric acid	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Acute local effects Value: 2 mg/m3  End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects
		Value: 1 mg/m3  End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 0.73 mg/m3

#### 8.2 Exposure controls

## Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

## Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing

of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles

Face-shield

Hand protection (EN 374) : Recommended preventive skin protection

Gloves Nitrile rubber butyl-rubber

Breakthrough time: 1 - 4 hours

Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4

mm or equivalent (please refer to the gloves

manufacturer/distributor for advise).

Gloves should be discarded and replaced if there is any indication

of degradation or chemical breakthrough.

Skin and body protection

(EN 14605)

: Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing including

appropriate safety shoes

117603E 5 / 12

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.B-P

#### **Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

**Appearance** : liquid

liquid

Colour : colourless

Odour : slight

: 1.0, 100 % Hq

Flash point : Not applicable.

Odour Threshold : Not applicable and/or not determined for the mixture

Melting point/freezing point : Not applicable and/or not determined for the mixture

Initial boiling point and

boiling range

Evaporation rate

: Not applicable and/or not determined for the mixture

: Not applicable and/or not determined for the mixture

Flammability (solid, gas) Not applicable and/or not determined for the mixture

Upper explosion limit : Not applicable and/or not determined for the mixture

Lower explosion limit : Not applicable and/or not determined for the mixture

Vapour pressure : Not applicable and/or not determined for the mixture

Relative vapour density : Not applicable and/or not determined for the mixture

: 1.182 - 1.185 Relative density

Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture

Partition coefficient: n-

octanol/water

: Not applicable and/or not determined for the mixture

Auto-ignition temperature : Not applicable and/or not determined for the mixture

Thermal decomposition : Not applicable and/or not determined for the mixture

Viscosity, kinematic : Not applicable and/or not determined for the mixture

: Not applicable and/or not determined for the mixture Explosive properties

Oxidizing properties : The substance or mixture is not classified as oxidizing.

## 9.2 Other information

117603E 6/12

Not applicable and/or not determined for the mixture

## Section: 10. STABILITY AND REACTIVITY

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

#### 10.4 Conditions to avoid

None known.

## 10.5 Incompatible materials

None known.

## 10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials:

Carbon oxides

Oxides of phosphorus

## **Section: 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

## **Product**

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

117603E 7/12

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Phosphoric acid LD50 rat: > 2,600 mg/kg

Components

Acute inhalation toxicity : Phosphoric acid 4 h LC50 rat: 0.962 mg/l

Test atmosphere: dust/mist

Components

Acute dermal toxicity : Phosphoric acid LD50 rabbit: > 2,000 mg/kg

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

## **Section: 12. ECOLOGICAL INFORMATION**

## 12.1 Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

117603E 8 / 12

#### Components

aquatic invertebrates

Toxicity to daphnia and other : Phosphoric acid48 h EC50 Daphnia magna (Water flea): > 100

mg/l

Components

: Phosphoric acid72 h EC50 Desmodesmus subspicatus (green Toxicity to algae

algae): > 100 mg/l

## 12.2 Persistence and degradability

#### **Product**

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : Phosphoric acidResult: Not applicable - inorganic

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

#### **Product**

Assessment : This substance/mixture contains no components considered to be

> either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

## 12.6 Other adverse effects

no data available

## **Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or

> used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an

approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

> to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

117603E 9/12

Guidance for Waste Code

selection

: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

## **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number : 1805

14.2 UN proper shipping : PHOSPHORIC ACID SOLUTION

name

14.3 Transport hazard : 8

class(es)

: 111 14.4 Packing group 14.5 Environmental hazards : No 14.6 Special precautions for : None

user

Air transport (IATA)

14.1 UN number : 1805

14.2 UN proper shipping : Phosphoric acid, solution

name

14.3 Transport hazard : 8

class(es)

14.4 Packing group : 111 14.5 Environmental hazards : No 14.6 Special precautions for : None

user

Sea transport (IMDG/IMO)

14.1 UN number : 1805

14.2 UN proper shipping : PHOSPHORIC ACID SOLUTION

name

14.3 Transport hazard : 8

class(es)

14.4 Packing group : 111 14.5 Environmental hazards : No 14.6 Special precautions for : None

user

14.7 Transport in bulk

according to Annex II of MARPOL 73/78 and the IBC

Code

: Not applicable.

## Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive : Not applicable.

2012/18/EU of the European

117603E 10/12

Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

## **National Regulations**

## Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

#### 15.2 Chemical Safety Assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

## Section: 16. OTHER INFORMATION

#### Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification	
Skin corrosion 1A, H314	Based on product data or assessment	
Serious eye damage 1, H318	Calculation method	

#### **Full text of H-Statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

## Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number -European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

117603E 11 / 12

Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Annex: Exposure Scenarios** 

117603E 12 / 12