

Page 1/8

### Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
• Trade name: <u>GC Fuji Ortho Band Paste Pak Paste A</u> • <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> No further relevant information available.
· Application of the substance / the mixture Auxillary for dental technology
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33</li> <li>B-3001 Leuven</li> <li>Tel. +32/(0)16/74.10.00</li> <li>Fax +32/(0)16/40.26.84</li> <li>msds@gc.dental</li> </ul>
<ul> <li>Further information obtainable from: Regulatory affairs</li> <li>I.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54</li> </ul>

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

 Labelling according to Regulation (EC) No 1272/2008
 Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation.
 Hazard pictograms



· Signal word Warning

• *Hazard-determining components of labelling:* 2-hydroxyethyl metacrylate Urethane Dimethacrylate (UDMA)

(Contd. on page 2)

<sup>-</sup> GB

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

### Trade name: GC Fuji Ortho Band Paste Pak Paste A

	(Contd. of page 1)
· Hazard stateme	ents
H315 Causes si	kin irritation.
H319 Causes se	erious eye irritation.
H317 May caus	se an allergic skin reaction.
· Precautionary	statements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
2201 1	

### · 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Chemical characterisation: Mixtures

· Description:

\*

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X	2-hydroxyethyl metacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-<25%
CAS: 1830-78-0 EINECS: 217-388-4	2-Hydroxy-1,3 dimethacryloxypropane Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-<10%
CAS: 72869-86-4 EINECS: 276-957-5	Urethane Dimethacrylate (UDMA) Skin Sens. 1, H317	5-<10%
CAS: 128-37-0 EINECS: 204-881-4	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1-<0.2%
Additional information, For	the wording of the listed hazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### • 4.1 Description of first aid measures

• *General information: Immediately remove any clothing soiled by the product.* 

- If symptoms persist consult doctor.
- After inhalation: Sumply frach air. If required provide artificial required to a patient wa

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

#### • After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment. If skin irritation continues, consult a doctor.

(Contd. on page 3)

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

(Contd. of page 2)

### Trade name: GC Fuji Ortho Band Paste Pak Paste A

• After eye contact:

Protect unharmed eye.

*Rinse opened eye for several minutes under running water. Then consult a doctor.* • *After swallowing:* 

*Rinse out mouth and then drink plenty of water.* 

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- $\cdot$  5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.

• 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

# 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Avoid contact with the eyes and skin.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 4)

GB

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

Trade name: GC Fuji Ortho Band Paste Pak Paste A

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- $\cdot$  Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · DNELs

### 128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing
- **Respiratory protection:** Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 03.08.2018

\*

Version number 3

Revision: 12.04.2018

Trade name: GC Fuji Ortho Band Paste Pak Paste A

(Contd. of page 4)

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Dante
Form: Colour:	Pasty Blue
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	97 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	0.0 g/l
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)

GB

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

Trade name: GC Fuji Ortho Band Paste Pak Paste A

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

*Oral* | *LD50* | >5,000 mg/kg (rat female) (*OECD* 401)

128-37-0 Butylated hydroxytoluene

*Oral LD50* >6,000 *mg/kg* (*rat* (*f*+*m*)) (*OECD* 401)

· Primary irritant effect:

• Skin corrosion/irritation

Causes skin irritation.

- $\cdot$  Serious eye damage/irritation
- Causes serious eye irritation.

• Respiratory or skin sensitisation

May cause an allergic skin reaction. • **Repeated dose toxicity** No further relevant information available.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- *No further relevant information available.*

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 7)

(Contd. of page 5)

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

(Contd. of page 6)

Trade name: GC Fuji Ortho Band Paste Pak Paste A

· 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 00 00WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT<br/>KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE)18 01 00wastes from natal care, diagnosis, treatment or prevention of disease in humans18 01 06\*chemicals consisting of or containing hazardous substances

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

### SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II Marpol and the IBC Code	of Not applicable.
· UN "Model Regulation":	not regulated

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB

Printing date 03.08.2018

Version number 3

Revision: 12.04.2018

Trade name: GC Fuji Ortho Band Paste Pak Paste A

(Contd. of page 7)

SECTION 16	i: Other information
Relevant phrase	\$
H315 Causes sk	in irritation.
H317 May cause	e an allergic skin reaction.
	rious eye irritation.
	e respiratory irritation.
H400 Very toxic	
	to aquatic life with long lasting effects.
	ccording to Regulation (EC) No 1272/2008 Calculation method
Department issi	ing SDS: Regulatory affairs
Contact: msds@	
Abbreviations a	
	péen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio
	ous Goods by Road)
	Il Maritime Code for Dangerous Goods
	Air Transport Association
	nonised System of Classification and Labelling of Chemicals
	Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances
	tracts Service (division of the American Chemical Society)
	nic Compounds (USA, EU)
DNEL: Derived No-	Effect Level (REACH)
LC50: Lethal conce	
LD50: Lethal dose,	
	paccumulative and Toxic
	nt and very Bioaccumulative prrosion/irritation – Category 2
	eye damage/eye irritation – Category 2
	nsitisation – Category 1
	target organ toxicity (single exposure) – Category 3
*	zardous to the aquatic environment - acute aquatic hazard – Category 1
1	Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Sources	
• ECHA (http://e	
	w.echemportal.org)
	d to the previous version altered.
This version rep	laces all previous versions.
Disclaimer:	
The information	contained herein is believed to be true and accurate. However, all statements, recommendation
v	are made without any guarantee, representation or warranty, express or implied, on our pa
	varranty is made or to be implied that the information set out in this document is accurate
	e accordingly exclude all liability in connection with the use of this information or the produ
	in. All such risks are assumed by the purchaser/user. The information contained herein is a
subject to chan	ge without notice. For the avoidance of doubt, however, nothing in this document excludes ty for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Page 1/8

### Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: GC Fuji Ortho Band Paste Pak Paste B · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the mixture Auxillary for dental technology  $\cdot$  1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental · Further information obtainable from: Regulatory affairs · 1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

 Labelling according to Regulation (EC) No 1272/2008
 Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation.
 Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling:

Tartaric acid

• *Hazard statements* H318 Causes serious eye damage.

(Contd. on page 2)

GB

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

### Trade name: GC Fuji Ortho Band Paste Pak Paste B

(Contd. of page 1) · Precautionary statements P280 *Wear eye protection / face protection.* P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. · Additional information: 1.2 % of the mixture consists of component(s) of unknown toxicity. Contains 1.2 % of components with unknown hazards to the aquatic environment. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Chemical characterisation: Mixtures

#### · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

<ul> <li>Dangerous compone</li> </ul>	ents:		
CAS: 87-69-4	Tartaric acid	Eye Dam. 1, H318	5-<10%
EINECS: 201-766-0			
· Additional informati	on: For the wording of the listed hazard phrases refer to see	ction 16.	

### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

### • General information:

*Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.* 

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• **After skin contact:** Seek medical treatment.

If skin irritation continues, consult a doctor.

- After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Call a doctor immediately.
- *After swallowing: Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.*
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC Fuji Ortho Band Paste Pak Paste B

(Contd. of page 2)

### **SECTION 5:** Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with the eyes and skin.
Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC Fuji Ortho Band Paste Pak Paste B

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

*The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.* 

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
  - Form: Colour:
- · Odour:
- · Odour threshold:

· pH-value:

· pn-value:

• Change in condition Melting point/freezing point:

Undetermined.

Not determined.

Not determined.

Pasty

White Odourless

(Contd. on page 5)

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC Fuji Ortho Band Paste Pak Paste B

		(Contd. of page 4
Initial boiling point and boiling range	: Undetermined.	
Flash point:	97 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	65 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	33.2 %	
VOC (EC)	0.0 g/l	
9.2 Other information	No further relevant information available.	

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

\*

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB -

Printing date 03.08.2018

### Version number 2

Revision: 20.01.2016

(Contd. of page 5)

Trade name: GC Fuji Ortho Band Paste Pak Paste B

· LD/LC50 values relevant for classification:	

### 7631-86-9 silicon dioxide

*Oral LD50 10000 mg/kg* (*rat* (*f*+*m*))

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *Repeated dose toxicity No further relevant information available.*
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
18 00 00	WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except
	kitchen and restaurant wastes not arising from immediate health care)
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans
18 01 06*	chemicals consisting of or containing dangerous substances

(Contd. on page 7)

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

Trade name: GC Fuji Ortho Band Paste Pak Paste B

(Contd. of page 6)

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

14 1 TINI NI		
14.1 UN-Number ADR, ADN, IMDG, IATA	not regulated	
	nor regulated	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
1440 1		
14.4 Packing group		
ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	11	

### SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

- · Relevant phrases
- H318 Causes serious eye damage.
- · Classification according to Regulation (EC) No 1272/2008 Calculation method

```
· Department issuing SDS: Regulatory affairs
· Contact: msds@gc.dental
· Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
 Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Eye Dam. 1: Serious eye damage/eye irritation - Category 1
                                                                                                                (Contd. on page 8)
                                                                                                                                GB
```

Printing date 03.08.2018

Version number 2

Revision: 20.01.2016

(Contd. of page 7)

GB ·

### Trade name: GC Fuji Ortho Band Paste Pak Paste B

#### · Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- $\cdot$  \* Data compared to the previous version altered.

*This version replaces all previous versions. Disclaimer:* 

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.