Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 1 von 10

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Name of product: IMPRIMO® LC Cast

UFI: J7GX-P4ST-4T3V-YEPU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Methacrylate based resin for DLP-systems with 385 nm light sources.

Uses advised against

Private households (= general public)

1.3. Details of the supplier of the safety data sheet

Manufacturer / distributor

SCHEU-DENTAL GmbH Am Burgberg 20 D-58642 Iserlohn Tel. +49 (2374) 9288-0

Tel. +49 (2374) 9288-0 Fax +49 (2374) 9288-90 eMail: service@SCHEU-DENTAL.com Internet: www.SCHEU-DENTAL.com

1.4. Emergency telephone number: +49 (2374) 9288-0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2, H315 Eye Irrit. 2, H319

Skin Sens. 1/1A/1B, H317 Aquatic Chronic 2, H411

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Signal word: Warning

Pictograms: GHS07, GHS09





Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

i recautionary state	anients
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+352	IF ON SKIN: Wash with plenty of water/soap.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P321	Specific treatment (see label).
P332+313	If skin irritation occurs: Get medical advice/attention.

Tradename:





Status: 06.02.2023 Page: 2 von 10

P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P337+313	If eye irritation persists: Get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container acc. to official regulations.

Special labelling of particular preparations:

none

2.3. Other hazards

No risks worthy of mention.

SECTION 3: Composition / information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Mixture with, among others, the following ingredients and other non-hazardous admixtures

Composition/information on ingredients

Stoff:	CAS-No.:	REACH- No.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
7,7,9(or 7,9,9)-trimethyl- 4,13-dioxo-3,14-dioxa- 5,12-diazahexadecane- 1,16-diyl bismethacrylate	72869-86-4	01- 2120751202- 68-XXXX	50 – 70 %	Skin Sens. 1/1A/1B, H317; Aquatic Chronic 2, H411	M = 0 ATE (dermal) = 2000 mg/kg bw ATE (oral) = 5000 mg/kg bw ATE (inhalativ) = Kein Wert ermittelbar
3,6,9- trioxaundecamethylendi methacrylate	109-17-1		25 – 45 %	Skin Irrit. 2, H315; Eye Irrit. 2, H319	M = 0 ATE (dermal) = 3000 mg/kg bw ATE (oral) = 5000 mg/kg bw ATE (inhalativ) = Kein Wert ermittelbar
Phenyl-bis(2,4,6- trimethylbenzoyl)phosphine oxide	162881-26- 7		≤ 2 %	Skin Sens. 1/1A/1B, H317; Aquatic Chronic 4, H413	M = 0 ATE (dermal) = 2000 mg/kg ATE (oral) = 2000 mg/kg ATE (inhalativ) = Kein Wert ermittelbar
Diphenyl(2,4,6- trimethylbenzoyl)phosphine oxid	75980-60-8		≤ 2 %	Repr. 2, H361; Skin Sens. 1/1A/1B, H317; Aquatic Chronic 2, H411	M = 0 ATE (dermal) = 2000 ATE (oral) = 5000 ATE (inhalativ) = 2000

Full text of H- and EUH-phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Information: Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are

observed, get medical advice. If unconscious place in recovery position and seek medical

advice.

In case of inhalation: Provide fresh air. Seek medical attention if problems persist.

Following skin contact: After contact with skin, wash immediately with plenty of water and soap. In case of skin

irritation, consult a physician.

After eyes contact: In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15

minutes holding eyelids apart and consult an ophthalmologist. Consult an ophthalmologist.

After ingestion: Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Consult a

physician.

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 3 von 10

4.2. Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

ABC-powder, BC-powder, alcohol resistant foam, Carbon dioxide (CO2).

Unsuitable extinguishing media

Water spray jet. Excess water. Full water jet. Strong water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire: Wear self-contained breathing apparatus. Co-ordinate fire-fighting measures to the fire surroundings.

5.3. Advice for firefighters

General information

Do not inhale explosion and combustion gages. Co-ordinate fire-fighting measures to the fire surroundings.

Special protective equipment for fire-fighters:

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Remove all sources of ignition. Remove persons to safety. Wear personal protection equipment. Special danger of slipping by leaking/spilling product. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff. Use only in well-ventilated areas. All work processes must always be designed so that the following is as low as possible: Inhalation

Precautions against fire and explosion

Always close containers tightly after the removal of product. Use only in well-ventilated areas. Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a cool, well-ventilated place. Protect against: UV-radiation/sunlight.

Hints on joint storage

Do not store together with: Oxidizing agent. Organic peroxides. Keep away from food, drink and animal feedingstuffs.

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 4 von 10

7.3 Specific end use(s)

_

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

occupational exposure limit value

occupational exposure limit value							
Substance	CAS-No.		Source	Occupational	Occupational	Limitation of	Remark:
				exposure limit value:	exposure limit value:	exposure peaks:	
				[maga]	[ma/m³]	•	

Substance with a common (EC) occupational exposure limit value

Substance	CAS-No.	Source	Occupational	Occupational	Limitation of	Remark:
			exposure	exposure	exposure	
			limit value:	limit value:	peaks:	
			[ppm]	[mg/m³]		

DNEL/PNEC values

DNEL value

Substance:	CAS-No.:	DNEL/DMEL
3,6,9-trioxaundecamethylendimethacrylate	109-17-1	worker inhalative long-term, systemic 48,5 mg/m³
		worker dermal long-term, systemic 13,9 mg/kg bw/day
		population inhalative long-term, systemic 14,5 mg/m³
		population dermal long-term, systemic 8,33 mg/kg bw/day
		population oral long-term, systemic 8,33 mg/kg bw/day
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-	72869-86-4	worker inhalative XXX(systemic) 3,3 mg/m³
5,12-diazahexadecane-1,16-diyl bismethacrylate		worker dermal XXX(systemic) 1,3 mg/kg bw/24h)
		population inhalative XXX(systemic) 0,6 mg/m³
		population dermal XXX(systemic) 0,7 XXX (mg/kg bw/24h)
		population XXX(systemic) 0,3 XXX(mg/kg bw/24H)
Diphenyl(2,4,6-	75980-60-8	worker inhalative long-term, systemic 0,822 mg/m ³
trimethylbenzoyl)phosphine		worker dermal long-term, systemic 0,233 mg/kg bw/day
oxid		population inhalative long-term, systemic 0,145 mg/m³
		population dermal long-term, systemic 0,0833 mg/kg bw/day
		population oral long-term, systemic 0,0833 mg/kg bw/day
Phenyl-bis(2,4,6-	162881-26-7	worker inhalative long-term, systemic 21 mg/m ³
trimethylbenzoyl)phosphine		worker dermal long-term, systemic 3 mg/kg bw/day
oxide		population inhalative long-term, systemic 5,2 mg/m³
		population dermal long-term, systemic 1,5 mg/kg bw/day
		population oral long-term, systemic 1,5 mg/kg bw/day

PNEC-Wert

FINEO-WEIL		
Substance:	CAS-No.:	PNEC
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-	72869-86-4	aquatic, freshwater 0,01 µg/l
5,12-diazahexadecane-1,16-diyl bismethacrylate		aquatic, marine water 0,001 μg/l
		sewage treatment plant 3,61 μg/l
		sediment, freshwater 4,56 µg/kg dw
		sediment, marine water 0,46 μg/kg dw
		soil 0,91 μg/kg dw
Diphenyl(2,4,6-trimethylbenzoyl)phosphine	75980-60-8	aquatic, freshwater 1,4 μg/l
oxid		aquatic, marine water 0,14 μg/l
		sediment, freshwater 115 μg/kg dw
		sediment, marine water 11,5 µg/kg dw
		soil 22,2 µg/kg dw
Phenyl-bis(2,4,6-	162881-26-7	aquatic, freshwater 1 μg/l
trimethylbenzoyl)phosphine		intermittent release, freshwater 1 µg/l
oxide		aquatic, freshwater 1 μg/l
		sewage treatment plant 1000 µg/l
		sediment, freshwater 712 μg/kg dw
		intermittent release, marine water 712 µg/l
		soil 20000 μg/kg dw

Additional information

None.

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 5 von 10

8.2. Exposure controls

Occupational exposure controls.

Provide adequate ventilation as well as local exhaustion at critical locations. Technical measures and the application of suitable work processes have priority over personal protection equipment.

General protection and hygiene measures

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

Personal protection equipment

Only wear fitting, comfort able and clean protective clothing.

Respiratory protection

With correct an proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: insufficient ventilation. Suitable respiratory protection apparatus: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: EN ISO 374 Suitable material: Butyl rubber.

Eye/face protection

Eye glasses with side protection.

Body protection:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Only wear fitting, comfortable and clean protective clothing. Barrier creams are not substitutes for body protection.

Environmental exposure controls.

Refer to chapter 7. No further action is necessary.

Consumer exposure controls

Refer to chapter 7. No further action is necessary.

Exposure Scenario

Skin contact Inhalation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state:	Liquid
Colour:	red
Odour:	Characteristic
Odour threshold:	-

Safety relevant basis data

Carety relevant basis data				
	Parameter	Value	Unit	Remark
Melting point/freezing point:				No data available
Initial boiling point and boiling range:				No data available
Flammability:				No data available
Lower flammability or explosive limits:				No data available
Upper flammability or explosive limits:				No data available
Decomposition temperature:				No data available
pH:				No data available
Kinematic viscosity:		250	mPa*s	
Water solubility (g/l):				No data available
Partition coefficient: n-octanol/water:				No data available
Vapour pressure:				No data available
Density:		1,1	g/cm³	
Relative density:				No data available
Particle properties:				No data available

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 6 von 10

9.2. Other information

_

SECTION 10: Stability and reactivity

10.1. Reactivity

Sensitivity to light (photosensitive)

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Polymerization.

10.4. Conditions to avoid

Heat. UV-radiation/sunlight.

10.5. Incompatible materials

Can polymerise exothermically if heated, exposed to air, sunlight or by addition or free radical initiators.

10.6. Hazardous decomposition products

In case of fire may be liberated. Carbon dioxide. Carbon monoxide.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

None

M-factor: -

Acute toxicity (oral): > 2000 mg/kg Acute toxicity (dermal): > 2000 mg/kg

Acute toxicity (inhalative): -

Acute toxicity

Substance:	CAS-No.:	Toxicological information
Phenyl-bis(2,4,6-	162881-26-7	LD50 oral (rat) > 2000 mg/kg
trimethylbenzoyl)phosphine oxide		LD50 dermal (rat) > 2000 mg/kg
Diphenyl(2,4,6-	75980-60-8	LC50 inhalation (rat) 2000 mg/kg bw
trimethylbenzoyl)phosphine oxide		LD50 oral (rat) 5000 mg/kg bw
		LD50 dermal (rat) > 2000 mg/kg bw
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-	72869-86-4	LD50 oral (rat) > 5000 mg/kg
1,16-diyl bismethacrylate		LD50 dermal (rat) > 2000 mg/kg
		NOAEL ReprTox. (rat) 1000 mg/kg/d
		NOAEL STOT-RE (rat) 100 mg/kg/d
3,6,9-trioxaundecamethylendimethacrylate	109-17-1	LD50 dermal (rat) 3000 mg/kg
		LD50 oral (rat) 5000 mg/kg

Skin corrosion/irritation:

Sensitising.

Serious eye damage/irritation:

Irritating to eyes.

Respiratory of skin sensitisation:

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity:

No indication of human carcinogenicity exist.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 7 von 10

STOT-single exposure:

No information available.

STOT-repeated exposure:

No information available.

Aspiration hazard:

No data available.

SECTION 12: Ecological Information

12.1. Toxicity

There are no data available on the preparation/mixture itself.

Ecotoxicity

Substance:	CAS-No.:	Ecotoxicity
Phenyl-bis(2,4,6-	162881-26-7	EC50 Algae (Scenedesmus subspicatus) 72 h >
trimethylbenzoyl)phosphine oxide		0,26 mg/l
		NOEC (algae, 72h) > 0,26 mg/l
		LC50 (fish, 96 h) > 0,09 mg/l
		NOEC (fish, 96 h) > 0,09 mg/l
		EC50 (microorganisms, 3h) >0,1 g/l
		EC50 (Daphnia, 48 h) > 1,175 mg/l
Diphenyl(2,4,6-	75980-60-8	EC50 (Daphnia, 48 h) 3,53 mg/l
trimethylbenzoyl)phosphine oxide		EC50 (algae, 72 h) > 2,01 mg/l
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,	72869-86-4	LC50 (Daphnia) > 1,2 mg/l
12-diazahexadecane-1,16-diyl bismethacrylate		EC50 (algae, 72 h) > 0,68 mg/l
•		LC50 (fish, 96 h) 101 mg/l
		EC50 (Daphnia, 48 h) > 12 mg/l
		NOEC (algae, 72 h) 21 mg/l
3,6,9-trioxaundecamethylendimethacrylate	109-17-1	EC50 Daphnia (Daphnia magna) 48 h 381 mg/l

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT an vPvB assessment

There are no data available on the mixture itself.

12.6. Endocrine disruptive effect

There are no data available on the mixture itself.

12.7. Other adverse effects

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Must not be disposed together with household garbage.

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

List of proposed waste codes/waste designations in accordance with EWC / AVV

According to EAKV, Allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 8 von 10

SECTION 14: Transport Information

Land transport (ADR/RID)

14.1. UN number:	3082
2. UN proper shipping name: UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G	
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	(III)
	9
Classification code:	M6
Special Provisions:	274, 335, 375,601
Limited quantity:	5 L
Transport category:	3
Hazard No:	
Tunnel restriction code:	-
Other applicable information (land transport)	

Inland waterways transport (ADN)

14.1. UN number:	3082
14.2. UN proper shipping name:	UMWELTGEFÄHRDENDER STOFF, FLÜSSIG, N.A.G
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	
	()
	9
Classification code:	M6
Spezial Provisions:	274, 335, 375,601
Limited quantity:	5 L
Other applicable information	-
(inland waterways transport)	

Marine transport (IMDG)

marine transport (mibo)	
14.1. UN number:	3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packaging group:	III
Hazard label:	(h)
	9
Special Provisions::	274, 335, 969
Limited quantity:	5 L
EmS:	F-A, S-F
Other applicable information (marine transport):	-

Air transport (ICAO)

All transport (ICAO)	
14.1. UN number:	3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packaging group:	
Hazard label:	
	9
Special Provisions:	
Limited quantity Passenger:	
IATA-packing instructions - Passenger:	
IATA-max. quantity - Passenger:	
IATA-packing instructions - Cargo:	
IATA-max. quantitiy - Cargo:	
Other applicable information (air transport)	
Passenger-LQ:	

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 9 von 10

14.5. Environmental hazards

ADR/RID / IMDG / ICAO-TI / IATA-DGR: no

Marine pollutant: no

14.6. Special precautions for user

Land transport (ADR/RID)

Transport category: 3

Special provisions: 274, 335, 375, 601

Tunnel restriction code: -Limited quantity (LQ): 5 L

Sea transport (IMDG)

EmS-No: F-A, S-F

Special provisions: 274, 335, 969 Limited quantity (LQ): 5 L

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Remark none

SECTION 15: Regulatory Information

15.1. Safety, health an environmental regulations/legislation specific for the substance or mixture

EU legislation

Information on Regulation (EC) No 166/2006 establishing a European Pollutant Release and Transfer Register:

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer:

Regulation (EC) No. 648/2004 (Detergents regulation)

•

Regulation (EC) No. 850/2004 [POP-Regulation]:

<u>-</u>

Regulation (EC) No. 649/2012 on the export and import of dangerous chemicals:

Use restriction according to REACH annex XVII, no.:

National regulatory information

Observe in addition any national regulations!

Restrictions of occupation

none

Other regulations, restrictions and prohibition regulations

15.2. Chemical Safety Assessment

For this preparation a chemical safety assessment has been carried out. -

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other Information

Relevant H- and EUH-phrases (number and full text)

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Tradename:

IMPRIMO® LC Cast



Status: 06.02.2023 Page: 10 von 10

Training advice

none

Recommended restrictions of use:

Refer to chapter 1

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Key literature references and sources for data

Data arise from reference works and literature.

Abbreviation	s and acronyms	
AC:	Artikelkategorie (Article Category)	
ACGIH:	Rat für Arbeitsschutz und Gefahrstoffe, Amerika (American Conference of Government Industrial Hygienists)	
ADN:	Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf Binnengewässern (Accord	
	européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)	
ADR:	Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße (Accord européen	
	relatif transport des merchandises dangereuses par route)	
AGW:	Arbeitsplatzgrenzwert	
AOX:	Adsorbierbare organisch gebundene Halogene (Adsorbable Organic halogen compounds	
Bw:	Körpergewicht (Body weight)	
CMR:	Stoffe klassifiziert als Krebserzeugend, Mutagen oder Reproduktionstoxisch (Carcinogenic, Mutagenic, toxic for Reproduction)	
CSR:	Stoffsicherheitsbericht (Chemical Safety Report)	
DIN:	Deutsches Institut für Normung / Deutsche Industrienorm	
DNEL:	Grenzwert, unterhalb dessen der Stoff keine Wirkung ausübt (Derived No Effect Level)	
DPD:	Zubereitungsrichtline / Richtline 1999-45-EC (Dangerous Preparations Directive)	
DSD:	Stoffrichtlinie / Richtlinie 67-548-EC (Dangerous Substances Directive)	
DU:	Nachgeschalteter Anwender (Downstream User)	
EC50:	Wirksame Konzentration 50% (Effective Concentration 50%)	
ECHA:	Europäische Chemikalienagentur	
EN:	Europäische Norm	
EWC/EWL:	Europäischer Abfallartenkatalog (European Waste Catalogue)	
IATA:	Verband für den internationalen Lufttransport (International Air Transport Association)	
IBC:	Großpackmittel (Intermediate Bulk Container)	
ICAO:	Internationale Zivilluftfahrt-Organisation (International Civil Aviation Organization)	
IMDG Code:	Gefahrgutvorschriften für den internationalen Seetransport (International Maritime Dangerous Goods Code)	
IMO:	Internationale Seeschifffahrts-Organisation (International Maritime Organization)	
ISO:	Internationale Normungsorganisation (International Standards Organisation)	
LC50:	Lethale (Tödliche) Konzentration 50%	
LD50:	Lethale (Tödliche) Dosis 50%	
LEV:	Lokale Absaugung (Local exhaust ventilation)	
MAK:	Maximale Arbeitsplatzkonzentration – DFG	
n.a.:	nicht anwendbar	
n.b.:	nicht bestimmt	
OEL:	Arbeitsplatzgrenzwert (Occupational Exposure Limit)	
PBT:	persistent, bioakkumlierbar, giftig (persistent, bioaccumulative, toxic)	
PNEC:	Abgeschätzte Nicht-Effekt-Konzentration (Predicted No Effect Concentration	
PPE/PSA:	Persönliche Schutzausrüstung (Personal Protective Equipment)	
REACH:	Registrierung, Bewertung und Zulassung von Chemikalien (Registration, Evaluation and Authorization of Chemicals)	
RID:		
	marchandises dangereuses par chemin de fer)	
STEL:	Grenzwert für Kurzzeitexposition (Short-term Exposure Limit)	
SVHC:	Stoff sehr hoher Besorgnis (Substance of Very High Concern)	
TLV:	Arbeitsplatzgrenzwert (Threshold Limit Value)	
VOC:	Flüchtige organische Kohlenwasserstoffe (Volatile Organic Compounds)	
vPvB:	sehr persistent, sehr bioakkumulierbar (very persistent, very bioaccumulative)	