

Date printed 13.12.2021, Revision 27.04.2021 Version 01 Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Speedo Clean Liquid Article number: 554106 UFI: JGKG-AKMC-J10V-FARQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Cleaning agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Hager & Werken GmbH & Co. KG

Ackerstr. 1

47269 Duisburg / GERMANY Phone +49(0)203-99269-0 Fax +49 (0)203 29 92 83 Homepage www.hagerwerken.de E-mail info@hagerwerken.de

Address enquiries to

Technical informationinfo@hagerwerken.deSafety Data Sheetsdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Skin Corr. 1: H314 Causes severe skin burns and eye damage.

Eye Dam. 1: H318 Causes serious eye damage.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

TE

Signal word DANGER

Contains: Sulphamic acid

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements P260 Do not breathe vapours / spray.

P280 Wear protective gloves / protective clothing / eye protection / face protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER / doctor.

P501 Dispose of contents/container in accordance with local/national regulation.

Cleaner, 648/2004/CE, contains: 5 - <15% non-ionic surfactants

fragrances



Date printed 13.12.2021, Revision 27.04.2021 Version 01 Page 2 / 11

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - <20	Sulphamic acid
	CAS: 5329-14-6, EINECS/ELINCS: 226-218-8, EU-INDEX: 016-026-00-0, Reg-No.: 01-2119488633-28-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Aquatic Chronic 3: H412

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Remove contaminated soaked clothing immediately and dispose of safely.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Immediate medical treatment necessary, as untreated burns can result in slow-healing

wounds.

Eye contact In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Shortness of breath

Headache Vertigo

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be

considered.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Sulphur oxides (SOx).

Not combusted hydrocarbons.



Version 01

Page 3 / 11

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Wear full protective suit.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. acid binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Do not eat, drink, smoke or take drugs at work. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Provide acid-resistant floor. Keep only in original container.

Do not store with alkalies.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 13.12.2021, Revision 27.04.2021 Version 01 Page 4 / 11

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Sulphamic acid, CAS: 5329-14-6

Industrial, dermal, Long-term - systemic effects, 10 mg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 70,5 mg/m³

general population, oral, Long-term - systemic effects, 5 mg/kg bw/day

general population, dermal, Long-term - systemic effects, 5 mg/kg bw/day

PNEC

Sulphamic acid, CAS: 5329-14-6

soil, 5 mg/kg soil dw

sediment (seawater), 0,84 mg/kg sediment dw

sediment (freshwater), 8,36 mg/kg sediment dw

sewage treatment plants (STP), 20 mg/L

seawater, 0,18 mg/L

freshwater, 1,8 mg/L

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

general population, inhalative, Long-term - systemic effects, 17,4 mg/m³

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0,7 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection Acid-resistant protective clothing (EN 340)

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection

Short term: filter apparatus, filter E (DIN EN 14387).

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

not determined



Date printed 13.12.2021, Revision 27.04.2021 Version 01 Page 5 / 11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Color colourless
Odor characteristic
Odour threshold not determined

pH-value 0 - 1

pH-value [1%] not determined

Boiling point [°C] ca. 100

Flash point [°C] not applicable

Flammability (solid, gas) [°C] not applicable

Lower explosion limit not applicable

Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/cm³] 1,063 - 1,075

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water miscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] not determined
Kinematic viscosity not applicable
Relative vapour density not applicable
Evaporation speed not applicable
Melting point [°C] not determined
Auto-ignition temperature not applicable
Decomposition temperature [°C] not applicable

Particle characteristics No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with alkalies (lyes).

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

See SECTION 10.3.



Date printed 13.12.2021, Revision 27.04.2021 Version 01 Page 6 / 11

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on available data, the classification criteria are not met.

Substance

Sulphamic acid, CAS: 5329-14-6

LD50, oral, Rat, 3160 mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Serious eye damage/irritation Product is caustic.

The classification as corrosive is due to the extreme pH.

Substance

Sulphamic acid, CAS: 5329-14-6

Eye, Rabbit, Study, irritant

Skin corrosion/irritation Product is caustic.

The classification as corrosive is due to the extreme pH.

Substance

Sulphamic acid, CAS: 5329-14-6

dermal, Rabbit, Study, irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Specific target organ toxicity —

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity —

repeated exposure

Based on available data, the classification criteria are not met.

Substance

Sulphamic acid, CAS: 5329-14-6

NOAEL, oral, Rat, 500 - 1004 mg/kg bw/day, OECD 408, negativ

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Substance

Sulphamic acid, CAS: 5329-14-6

negativ, OECD 474,

Reproduction toxicityDoes not contain a relevant substance that meets the classification criteria.

Substance

Sulphamic acid, CAS: 5329-14-6

NOAEL, oral, Rat, 200 mg/kg bw/day, OECD 414, negativ

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.

Aspiration hazard Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

hwg00023 GB



Version 01

Page 7 / 11

11.2 Information on other hazards

Endocrine disrupting properties

No information available.

Other information

SECTION 12: Ecological information

12.1 Toxicity

Substance

Sulphamic acid, CAS: 5329-14-6

LC50, (96h), Pimephales promelas, 70,3 mg/L

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

AOX-advice: No dangerous components. Contains no organic complexing agents.

Behaviour in sewage plant
Biological degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid

down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of

a detergent manufacturer.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecotoxicological data are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Safety Data Sheet (UK REACH) (GB) Speedo Clean Liquid Article number 554106 Hager & Werken GmbH & Co. KG 47269 Duisburg



Date printed 13.12.2021, Revision 27.04.2021 Version 01 Page 8 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended) 200129*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

3264

Inland navigation (ADN) 3264

Marine transport in accordance with

IMDG

Air transport in accordance with IATA 3264



Version 01

Page 9 / 11

14.2 UN proper shipping name

Transport by land according to

ADR/RID

Corrosive liquid, acidic, inorganic, n.o.s. (Sulfamic acid, solution)

- Classification Code

C1

5 I

- Label

- ADR LQ

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (E)

Inland navigation (ADN)

Corrosive liquid, acidic, inorganic, n.o.s. (Sulfamic acid, solution)

- Classification Code

C1

- Label



Marine transport in accordance with

IMDG

Corrosive liquid, acidic, inorganic, n.o.s. (Sulfamic acid, solution)

- EMS

F-A, S-B

- Label

- IMDG LQ 5

Air transport in accordance with IATA Corrosive liquid, acidic, inorganic, n.o.s. (Sulfamic acid, solution)

- Label



14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

8

Inland navigation (ADN)

8

Marine transport in accordance with 8

IMDG

Air transport in accordance with IATA 8

14.4 Packing group

Transport by land according to

Ш

Ш

ADR/RID

Inland navigation (ADN)

Marine transport in accordance with

IMDG

Air transport in accordance with IATA III



Page 10 / 11

Date printed 13.12.2021, Revision 27.04.2021 Version 01

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN) no

Marine transport in accordance with n

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H315 Causes skin irritation.



Version 01 Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Skin Corr. 1: H314 Causes severe skin burns and eye damage. (On basis of test data)

Eye Dam. 1: H318 Causes serious eye damage. (On basis of test data)

Modified position none

Copyright: Chemiebüro®