

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

freeprint® model T

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the s	safety data sheet	
Company name:	DETAX GmbH	
Street:	Carl-Zeiss-Straße 4	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
E-mail:	post@detax.com	
Internet:	www.detax.com	
Responsible Department:	This number is only obtainable du	uring office hours
	(Monday - Thursday 8.00 a.m 5	5.00 p.m., Friday 8.00 a.m 4.00 p.m.)
1.4. Emergency telephone	+1-800-424-9300 (CHEMTREC v	vorldwide)
and the second sec		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Repr. 2; H361 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

isopropylidenediphenol peg dimethacrylate @0000030430.1 Hydroxy propyl methacrylate tetrahydrofurfuryl methacrylate THFMA purified grade diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide @0000030484.2 @0000030430.2 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Warning

Signal word:

Pictograms:



Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.



according to Regulation (EC) No 1907/2006

freeprint® model T						
Revision date: 28.11.2023	Product code: 932	Page 2 of 14				
H412	Harmful to aquatic life with long lasting effects.					
Precautionary statemer	nts					
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P302+P352	IF ON SKIN: Wash with plenty of water.					
P362+P364	Take off contaminated clothing and wash it before reuse.					
P501						
Special labelling of cert	tain mixtures					
EUH210	Safety data sheet available on request.					

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)	·	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,1	3-dioxo-3,14-dioxa-5,12-diazahex	adecane-1,16-diyl bismethacrylate	20 - < 40 %
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chr	onic 2; H317 H411	•	
41637-38-1	isopropylidenediphenol peg	dimethacrylate		20 - < 40 %
	609-946-4		01-2119980659-17	
	Aquatic Chronic 4; H413			
72829-09-5	1,12-Dodecanediol Dimetha	acrylate		5 - < 20 %
	276-900-4		01-2120756306-53	
	Skin Sens. 1B, Aquatic Acu	00 H410		
27813-02-1	Hydroxy propyl methacrylat	0.1 - < 5 %		
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H	319 H317	·	
2455-24-5	tetrahydrofurfuryl methacry	0.1 - < 5 %		
	219-529-5		01-2120748481-53	
	Repr. 1B, Skin Sens. 1, Aq	uatic Chronic 3; H360 H317 H412		
75980-60-8	diphenyl(2,4,6-trimethylben	zoyl)phosphine oxide		0,1 - < 5 %
	278-355-8	015-203-00-X	01-2119972295-29	
	Repr. 2, Skin Sens. 1B, Aq	uatic Chronic 2; H361 H317 H411		
868-77-9	2-hydroxyethyl methacrylat	e		0.1 - < 5 %
	212-782-2	607-124-00-X	01-2119490169-29	
	Skin Irrit. 2, Eye Irrit. 2, Ski	n Sens. 1; H315 H319 H317		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide			0.1 - < 5 %
	423-340-5	015-189-00-5	01-2119489401-38	
	Skin Sens. 1A, Aquatic Chr	onic 4; H317 H413		

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	20 - < 40 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
41637-38-1	609-946-4	isopropylidenediphenol peg dimethacrylate	20 - < 40 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	
72829-09-5	276-900-4	1,12-Dodecanediol Dimethacrylate	5 - < 20 %
	oral: LD50 = >	2000 mg/kg	
27813-02-1	248-666-3	Hydroxy propyl methacrylate	0.1 - < 5 %
	dermal: LD50	= >5000 mg/kg; oral: LD50 = >2000 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0,1 - < 5 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 5 %
	dermal: LD50	= >5000 mg/kg; oral: LD50 = 5564 mg/kg	
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0.1 - < 5 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 4 of 14

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent					
DNEL type		Exposure route	Effect	Value		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		-			
Worker DNEL,	long-term	inhalation	systemic	0,822 mg/m³		
Worker DNEL,	long-term	dermal	systemic	0,233 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	0,145 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	0,0833 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	0,0833 mg/kg bw/day		

DETAX

Safety Data Sheet

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 5 of 14

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Butyl caoutchouc (butyl rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid:	
Colour:	blue	
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	not determined	
Flammability:	not applicable not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point: Decomposition temperature:	>100 °C >=190 °C	DIN 51755
pH-Value:	not determined	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	<1 hPa	
Density (at 20 °C):	1,09 g/cm³	DIN 51757
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical haza Explosive properties	ard classes	
The product is not: Explosive.		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Revision No: 1 15	M - en	Print



according to Regulation (EC) No 1907/2006

freeprint® model T						
Revision date: 28.11.2023	Product code: 932	Page 6 of 14				
Oxidizing properties Not oxidizing.						
Other safety characteristics						
Evaporation rate:	not determined					
Solid content:	not determined					
SECTION 10: Stability and reactivity						

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 7 of 14

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate						
	oral	LD50 mg/kg	>5000	Rat	OECD 401		
	dermal	LD50 mg/kg	>2000	Rat	OECD 402		
41637-38-1	isopropylidenediphenol	peg dimetha	icrylate	-		_	
	oral	LD50 mg/kg	>2000	Rat			
	dermal	LD50 mg/kg	>2000	Rat			
72829-09-5	1,12-Dodecanediol Dim	nethacrylate					
	oral	LD50 mg/kg	>2000	Rat			
27813-02-1	Hydroxy propyl methac	rylate					
	oral	LD50 mg/kg	>2000	Rat	OECD 401		
	dermal	LD50 mg/kg	>5000	Rabbit			
75980-60-8	diphenyl(2,4,6-trimethy	lbenzoyl)pho	sphine oxide	-			
	oral	LD50 mg/kg	>5000	Rat			
	dermal	LD50 mg/kg	>2000	Rat			
868-77-9	2-hydroxyethyl methac	rylate					
	oral	LD50 mg/kg	5564	Rat			
	dermal	LD50 mg/kg	>5000	Rabbit			
162881-26-7	phenyl bis(2,4,6-trimeth	nylbenzoyl)-p	hosphine oxid	le			
	oral	LD50 mg/kg	>2000	Rat	OECD 401		
	dermal	LD50 mg/kg	>2000	Rat	OECD 402		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 1,12-Dodecanediol Dimethacrylate; Hydroxy propyl methacrylate; tetrahydrofurfuryl methacrylate THFMA purified grade; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; 2-hydroxyethyl methacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility or the unborn child. (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.



according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 8 of 14

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 9 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,7	14-dioxa-5,1	2-diazah	exadecane-1,16-diyl bisn	nethacrylate	•
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202	
41637-38-1	isopropylidenediphenol pe	eg dimethacr	ylate				
	Acute fish toxicity	LC50 mg/l	>100	96 h			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h			
72829-09-5	1,12-Dodecanediol Dimet	hacrylate					
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia		
27813-02-1	Hydroxy propyl methacryl				•		
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
2455-24-5	tetrahydrofurfuryl methaci	ylate THFM	A purified gra	ade			
	Acute fish toxicity	LC50 mg/l	34,7	96 h		GESTIS	
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	hine oxide				
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
162881-26-7	phenyl bis(2,4,6-trimethyll	benzoyl)-pho	sphine oxide	е			
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209		



according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 10 of 14

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
27813-02-1	Hydroxy propyl methacrylate					
	OECD	94%	28			
	Readily biodegradable (according to OECD criteria).					
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
		0-10%	28			
	Not readily biodegradable (according to OECD criteria)					
868-77-9	2-hydroxyethyl methacrylate			-		
		92-100%	14			
	Readily biodegradable (according to OECD criteria).	-				
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide					
	CO2 formation (% of the theoretical value).	1%	29			
	Not readily biodegradable (according to OECD criteria)					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
27813-02-1	Hydroxy propyl methacrylate	0,97
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste

according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 11 of 14

according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN) 14.1. UN number or ID number:	UN 3082
14.1. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.2. ON proper simpling name. 14.3. Transport hazard class(es):	9
14.3. Transport hazard class(es). 14.4. Packing group:	y III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo: IATA-max. guantity - Cargo:	964 450 L
ATA-max. quantity - Gargo.	400 L



according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 12 of 14

14.6. Special precautions for user

No dangerous good in sense of this transport regulation. **14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75	
2010/75/EU (VOC):	1,116 % (12,161 g/l)
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	3 - highly hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.
15.2. Chemical safety assessment	

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 13 of 14

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Repr. 2; H361	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method



according to Regulation (EC) No 1907/2006

freeprint® model T

Revision date: 28.11.2023

Product code: 932

Page 14 of 14

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)