

according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

freeprint® tryin

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the s	<u>afety data sheet</u>	
Company name:	DETAX GmbH	
Street:	Carl-Zeiss-Straße 4	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
E-mail:	post@detax.com	
Internet:	www.detax.com	
Responsible Department:	This number is only obtainable	e during office hours
	(Monday - Thursday 8.00 a.m.	- 5.00 p.m., Friday 8.00 a.m 4.00 p.m.)
1.4. Emergency telephone	+1-800-424-9300 (CHEMTRE)	C worldwide)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate 2-hydroxy propyl methacrylate Hydroxy propyl methacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Signal word:

Warning

Pictograms:



Hazard statements

H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
Precautionary state	ements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.



according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 2 of 12

P501

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (Regulation	(EC) No 1272/2008)			
	Alkoxylated phenol deriva	tive, methacrylate terminated		40 - < 60 %	
	Aquatic Chronic 4; H413				
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	13-dioxo-3,14-dioxa-5,12-diazahe	kadecane-1,16-diyl bismethacrylate	20 - < 40 %	
	276-957-5		01-2120751202-68		
	Skin Sens. 1B, Aquatic Ch	nronic 2; H317 H411			
6606-59-3	1,6-hexanediol dimethacry	late		0.1 - < 5 %	
	229-551-7				
	Aquatic Chronic 3; H412				
868-77-9	2-hydroxyethyl methacryla	0.1 - < 5 %			
	212-782-2	607-124-00-X	01-2119490169-29		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H315 H319 H317				
27813-02-1	Hydroxy propyl methacryl	0.1 - < 5 %			
	248-666-3		01-2119490226-37		
	Eye Irrit. 2, Skin Sens. 1; H319 H317				
75980-60-8	diphenyl(2,4,6-trimethylbe	nzoyl)phosphine oxide		0.1 - < 5 %	
	278-355-8	015-203-00-X	01-2119972295-29		
	Repr. 2, Skin Sens. 1B, A	quatic Chronic 2; H361 H317 H411	•		
162881-26-7	phenyl bis(2,4,6-trimethyl	0.1 - < 5 %			
	423-340-5	015-189-00-5	01-2119489401-38		
	Skin Sens. 1A, Aquatic Cł				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
72869-86-4	276-957-5	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	20 - < 40 %
	dermal: LD50 =	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 5 %
	dermal: LD50 =	= >5000 mg/kg; oral: LD50 = 5564 mg/kg	
27813-02-1	248-666-3	Hydroxy propyl methacrylate	0.1 - < 5 %
	dermal: LD50 =	= >5000 mg/kg; oral: LD50 = >2000 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0.1 - < 5 %
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg		
162881-26-7	423-340-5	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0.1 - < 5 %
	dermal: LD50 =	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	

according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage



according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 4 of 12

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent				
DNEL type		Exposure route	Effect	Value	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
Worker DNEL	, long-term	inhalation	systemic	0,822 mg/m³	
Worker DNEL	, long-term	dermal	systemic	0,233 mg/kg bw/day	
Consumer DN	IEL, long-term	inhalation	systemic	0,145 mg/m³	
Consumer DN	IEL, long-term	dermal	systemic	0,0833 mg/kg bw/day	
Consumer DN	IEL, long-term	oral	systemic	0,0833 mg/kg bw/day	

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Butyl caoutchouc (butyl rubber)

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

liquid:



according to Regulation (EC) No 1907/2006

freeprint® tryin				
Revision date: 21.09.2023	Product code: 919	Page 5 of 12		
Colour:				
		Test method		
Melting point/freezing point:	not determined			
Boiling point or initial boiling point and	315 °C			
boiling range:				
Flammability:	not determined			
Lower explosion limits:	not determined			
Upper explosion limits:	not determined			
Flash point:		DIN 51755		
Auto-ignition temperature:	445 °C			
Decomposition temperature:	>=190 °C			
pH-Value:	not determined			
Viscosity / kinematic:	not determined			
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.			
Solubility in other solvents				
not determined				
Partition coefficient n-octanol/water:	not determined			
Vapour pressure:	<1 hPa			
(at 20 °C)				
Density (at 20 °C):	-	DIN 51757		
Relative vapour density:	not determined			
Particle characteristics:	not applicable			
9.2. Other information				
Information with regard to physical hazard	d classes			
Explosive properties				
The product is not: Explosive.				
Oxidizing properties				
The product is not: oxidising.				
Other safety characteristics				
Evaporation rate:	not determined			
Solid content:	not determined			
SECTION 10: Stability and reactivity				

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 6 of 12

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
72869-86-4	7,7,9(or 7,9,9)-trimet	hyl-4,13-dioxo-3	3,14-dioxa-5	,12-diazahexadeca	ane-1,16-diyl bismethacrylate	
	oral	LD50 mg/kg	>5000	Rat	OECD 401	
	dermal	LD50 mg/kg	>2000	Rat	OECD 402	
868-77-9	2-hydroxyethyl metha	acrylate				
	oral	LD50 mg/kg	5564	Rat		
	dermal	LD50 mg/kg	>5000	Rabbit		
27813-02-1	Hydroxy propyl meth	acrylate				
	oral	LD50 mg/kg	>2000	Rat	OECD 401	
	dermal	LD50 mg/kg	>5000	Rabbit		
75980-60-8	diphenyl(2,4,6-trimet	hylbenzoyl)pho	sphine oxide	2		
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
162881-26-7	phenyl bis(2,4,6-trime	ethylbenzoyl)-p	hosphine ox	ide		
	oral	LD50 mg/kg	>2000	Rat	OECD 401	
	dermal	LD50 mg/kg	>2000	Rat	OECD 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 2-hydroxyethyl methacrylate; Hydroxy propyl methacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 7 of 12

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Alkoxylated phenol deriva	tive, methad	crylate termin	ated			
	Acute fish toxicity	LC50 mg/l	>100	96 h			
	Acute algae toxicity	ErC50 mg/l	>100	72 h			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4	,13-dioxo-3,	14-dioxa-5,1	2-diazah	exadecane-1,16-diyl bisn	nethacrylate	
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202	
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202
27813-02-1							
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202	
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosp	ohine oxide	-	-		
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge		
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-pho	osphine oxide	e			
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>0,26		Desmodesmus subspicatus	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	>0,008		Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209		
					1		



DETAX GmbH

according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 8 of 12

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	-			
868-77-9	2-hydroxyethyl methacrylate				
		92-100%	14		
	Readily biodegradable (according to OECD criteria).				
27813-02-1	Hydroxy propyl methacrylate				
	OECD	94%	28		
	Readily biodegradable (according to OECD criteria).				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
		0-10%	28		
	Not readily biodegradable (according to OECD criteria)				
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide				
	CO2 formation (% of the theoretical value).	1%	29		
	Not readily biodegradable (according to OECD criteria)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
27813-02-1	Hydroxy propyl methacrylate	0,97
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste

according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 9 of 12

according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	9
14.4. Packing group:	ui iii
Hazard label:	9
Classification code:	9 M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	
Hazard label:	9
Special Provisions:	274 335 969
Limited quantity:	5 L E1
Excepted quantity: EmS:	F-A, S-F
Other applicable information (marine trai	
Flash point: > 100°C	
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197 A215
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L

according to Regulation (EC) No 1907/2006

freeprint® tryin		
Revision date: 21.09.2023	Product code: 919	Page 10 of 12
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	964 450 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
 <u>14.6. Special precautions for user</u> No dangerous good in sense of this training the transport in bulk according to No dangerous good in sense of this transport in sense of this transport 	IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment	
National regulatory information		
Employment restrictions: Water hazard class (D):	Observe restrictions to employment for juveniles according work protection guideline' (94/33/EC). 3 - highly hazardous to water	to the 'juvenile
Skin resorption/Sensitization: Additional information	Causes allergic hypersensitivity reactions.	
NZ: HSR-Number: HSR002558 Group Standard: Dental Products - Sub 15.2. Chemical safety assessment	sidiary Hazard, Group Standard 2020	
total entition outory according it		

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 11 of 12

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

freeprint® tryin

Revision date: 21.09.2023

Product code: 919

Page 12 of 12

H412

Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)